

EK 67C Ice Cream and Frozen Products



Derby Product Line for Ice-cream and Frozen Products

When you talk about Derby, you are talking about one of the most traditional brands in the commercial refrigeration market Worldwide.

This line is composed by Upright, Horizontal and Impulse models with a freezer capacity between -7° C and -25° C, ideal for storage of ice-cream, sorbet and frozen products in general.

Find out about Derby's design and technology and ensure your products always enjoy the perfect exposure at the point of sale.

Derby: tradition of innovation, always offering the best design in quality, finishing, and performance.



- Adjustable thermostat
- Aluminium inner liner
- Angle top for optimised product view
- Branding*

Custom graphics can also be added. The box frame as well as the frames of the glass lids are available in different colours.

- Castors
 Produce smooth and more controllable movement.
- Control panel*
- Curved sliding glass lids
- Internal light* Allowing good product visibility.
- Lid lock* Avoids undesirable openings and secures the products inside.
- Thermometer* Informs you about internal temperature.
- Wide assortment of baskets* Baskets with dividers allow good arrangement of the products.





CURVED SLIDING GLASS LIDS

WIDE ASSORTMENT OF BASKETS







BRANDING*

* Options





www.derby.dk www.metalfriosolutions.com



DIMENSIONS	
Capacity	
Gross (liters / cubic feet)	573 / 20.23
Net (liters / cubic feet)	502/17.72
External dimensions	
Width (mm / inches)	1770 / 69.68
Height (mm / inches)	895 / 35.23
Depth (mm / inches)	650 / 25.59
Internal dimensions	
Width (mm / inches)	1770 / 69.68
Height* (mm / inches)	550 / 21.65
Depth (mm / inches)	530 / 20.86
Weight	
Net (kg)	91.5
* Not considered the compartment for the compressor.	
TRANSPORTATION	A
Packaging	
Width (mm / inches)	1750 / 68.89
Height (mm / inches)	960 / 37.79
Depth (mm / inches)	750 / 29.52
Loading container 20 feet	
40 feet	-
40 1001	-
Piling up	
Maximum	-
Weight	



EK 67C

REAL SIZE	
	1650mm 64.9 in

TEMPERATURE RANGE	
Temperature range (°C) Temperature range (°F) Climate class	-11 to -22 12.2 to - 7.6 4 & 4+
TECHNOLOGY	
Type of evaporator Type of refrigeration agent (gas)	Aluminium R134A
POWER	
Voltage / Frequency Voltage / Frequency Voltage / Frequency Power (W) Energy consumption (KWh/24h)	120V - 60Hz 220V - 60Hz 230V - 50Hz 344
MERCHANDISING AREA	Perby

MARCH / 2009 - Images merely illustrative - Images and information subject to amendment with no prior notice.

Sidewall		Front	
Width (mm)	636	Width (mm) 1820
Height (mm)	802	Height (mn	n) 674
OPTIONS			
• Custom Graphics	• Lid L	.ock •	Control Pannel
Removable Baske	ets • Inter	rnal Light 🔹	Thermometer

☆ Metalfrio Solutions

Gross (kg)

www.derby.dk www.metalfriosolutions.com

