



IMAGINE, INVENT, INSPIRE:



#### **Our Mission**

Waring® Commercial, a global leader in foodservice equipment, is dedicated to providing innovative, reliable and value-driven solutions designed to make our customers' lives easier and their businesses more profitable.


#### **Our Story**

Waring introduced the first blender over 80 years ago here in the USA. We honor our heritage as an innovator and solutions specialist with our continuing expansion as a provider of BLEND – PREP – COOK – BREW equipment for the foodservice industry. In 1977, our manufacturing roots were planted in McConnellsburg, PA, where we still build our iconic blenders today. Now, more than ever, Waring® Commercial distinguishes itself as a brand of value, quality, and innovation for the foodservice industry.

## IMAGINE. INVENT. INSPIRE:



waringcommercialproducts.com



Blenders	4
Heavy Duty	5-6
Medium-Heavy Duty	
Light-Medium Duty	8
Immersion Blenders	9–11
Drink Mixers	12–13



Food Processors	14–18
Citrus Juicers & Juice Extractors	19
Ice Cream Makers	20
Specialty Items	
Stand Mixer	21
Chocolate Melters	21
Electric Knife	22
Wine Bottle Opener	
Knife Sharpener	
Food Slicers	23
Vacuum Sealers	24



Thermal Circulators	25
Pasta Cooker & Rethermalizer	
Grills & Griddles	27
Pizza Ovens	28–29
Ovens	
Deep Fryers	31
Toasters	31–32
Countertop Burners	33
Waffle Makers	34–35. 37
Crêpe Maker	35
Waffle Cone Makers	36
Gelato Panini Press	36
Food Dehydrator	38
Hot Water Dispenser	39
Coffee Urns	



## A BLENDER FOR EVERY NEED

	DELINDE					
CB15 Series	MX Series	Torq Series	Blade Series	BB155 Series		
Heavy-Duty One-Gallon Food & Beverage Blenders	Heavy-Duty Food & Beverage Blenders	Med-Heavy Duty Food & Beverage Blenders	Light-Medium Duty Bar Blenders	Light-Duty Bar Blenders		
3¾** HP	31⁄2** HP	MOTOR POWER  2 HP	1 HP	³⁄₄ HP		
374 NP	3 /2 NP		I HP	74 HP		
100+	75+	CYCLES PER DAY 50–74	25–49	1–25		
	CON	TROL PANEL FEATUR	RES			
3 control panel options including LO/MED/HI/PULSE, 3-minute countdown timer, and variable speed	5 control panel options including HI/LO/PULSE paddle and keypad, 30-second countdown timer, variable speed and reprogrammable settings	3 control panel options including HI/LO/PULSE toggle switch, electronic keypad with 60-second countdown timer, and variable speed control dial	3 control panel options including HI/LO/OFF/PULSE toggle switches, electronic touchpad controls, or touchpad control with timer	2-speed toggle switch		
	CONTAIN	IER CAPACITY/JAR O	PTIONS			
1-gallon stainless steel (also available with easy-pour spigot)	64 oz. or 48 oz. stackable copolyester, or 64 oz. stainless steel	48 oz. stackable copolyester	48 oz. stackable copolyester, or 48 oz. stainless steel	44 oz. copolyester, or 32 oz. stainless steel		
	USAGE	AND APPLICATION	ТҮРЕ			
Heavy food and beverage prep	Heavy food and beverage prep	Medium-to-heavy food and beverage prep	Light-to-medium food and beverage prep	Light beverage prep		
		GREAT FOR USE IN:				
Large Kitchens, Health Care, Schools, Institutions, Restaurants	Kitchens, Health Care, Schools, Institutions, Restaurants, Smoothie Shops, Coffee Shops, Bars	Kitchens, Health Care, Schools, Institutions, Restaurants, Smoothie Shops, Coffee Shops, Bars	Smoothie Shops, Coffee Shops, Bars	Coffee Shops, Bars		
		MMENDED APPLICAT	IONS			
Food Products, Refried Beans, Dressings, Salsas, Sauces, Soups, Doughs, Desserts, Smoothies and more	Food Products, Dressings, Salsas, Sauces, Soups, Doughs, Desserts, Smoothies, Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Food Products, Dressings, Salsas, Sauces, Soups, Smoothies, Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Smoothies, Ice Cream Drinks, Frozen Fruit Smoothies, Iced Coffee Drinks, Frozen Drinks & Cocktails	Frozen Drinks & Cocktails, Blended Beverages		
	WARRANTY					
Limited Three-Year Motor and Two-Year Parts and Labor Warranty	Limited Three-Year Motor and Two-Year Parts and Labor Warranty	Limited Two-Year Warranty	Limited Two-Year Warranty	Limited Two-Year Warranty		
		MADE IN THE USA!*				



## BI FND

## Heavy-Duty One-Gallon Food & Beverage Blender

#### **CB15 Series**





- Heavy-duty, 3¾ peak HP motor
- Stainless steel container with two handles for carrying and pouring, and easy-off rubberized lid clamps for security
- Recommended for up to 100 cycles per day
- Mix, purée and emulsify large loads that need long blending times
- Typical applications include salsa and refried beans
- Dishwasher-safe, one-piece jar pad for easy cleaning
- BPA free all materials that come in contact with food 120V, 60 Hz, 5-15P (1)

Limited Three-Year Motor and Two-Year Parts and Labor Warranty cETLus, NSF

#### Also Available with Easy-Pour Spigot

Removable and easy to clean NSF certified Jar with spigot (CAC125) Extra spigots available (CAC126)



MODEL	CONTROL PANEL	CONTAINER
CB15	Electronic membrane panel with	Stainless steel
CB15SF	3 speeds and PULSE	Stainless steel with easy-pour spigot
CB15V	Clastronia mambrona nanal with	Stainless steel
CB15VSF	Electronic membrane panel with variable dial control and PULSE	Stainless steel with easy-pour spigot
CB15T	Electronic membrane panel with	Stainless steel
CB15TSF	3 speeds and PULSE. 3-minute electronic timer	Stainless steel with easy-pour spigot



#### 3 Control Panel Options



**CB15** 



CB15V



## BI FND



# Heavy-Duty Food & Beverage Blenders MX Series



- Heavy-duty, 3.5 peak input HP motor, max pulse with up to 30,000+ RPM burst of speed
- Optional sound enclosure reduces noise by over 50%
- One-piece, dishwasher-safe, removable jar pad
- Heavy-duty stainless steel blade with user-replaceable blending assembly

120V, 60Hz, 5-15P (1)

Limited Three-Year Motor and Two-Year Parts and Labor Warranty cETLus, NSF





MODEL	CONTROL PANEL	CONTAINER
MX1000XTX		64 oz. Copolyester
MX1000XTXP	Paddle switches with HIGH, LOW and PULSE	48 oz. Copolyester
MX1000XTS		64 oz. Stainless Steel
MX1050XTX		64 oz. Copolyester
MX1050XTXP	Electronic keypad with HIGH, LOW and PULSE functions	48 oz. Copolyester
MX1050XTS		64 oz. Stainless Steel
MX1100XTX		64 oz. Copolyester
MX1100XTXP	Electronic keypad with HIGH, LOW and PULSE functions and 30-second timer	48 oz. Copolyester
MX1100XTS		64 oz. Stainless Steel
MX1200XTX		64 oz. Copolyester
MX1200XTXP	Variable speed dial control (1,000 – 20,000 RPM) and PULSE paddle switch	48 oz. Copolyester
MX1200XTS		64 oz. Stainless Steel
MX1300/1500XTX*		64 oz. Copolyester
MX1300/1500XTXP*	Programmable electronic keypad, LCD display and PULSE	48 oz. Copolyester
MX1300/1500XTS*		64 oz. Stainless Steel

<sup>\*</sup>MX1500 comes with sound enclosure.



CAC95 64 oz. BPA-free copolyester jar for XTX models

CAC93X 48 oz. BPA-free copolyester jar for XTXP models

CAC90 64 oz. stainless steel jar

for XTS models



SE1000 Retrofits all blenders in Waring Commercial Xtreme® Series – 64 oz. jars



SE500 Retrofits all blenders in Waring Commercial Xtreme® Series – 48 oz. jars

#### Color-Coded Copolyester Jars

CAC93X-03 48 oz. Yellow CAC95-03 Yellow 64 oz. Blue CAC93X-06 48 oz. CAC95-06 Blue 64 oz. CAC93X-12 48 oz. Green CAC95-12 Green 64 oz. CAC93X-10 **Purple** 48 oz. CAC95-10 Purple 64 oz. CAC93X-28 **Orange** 48 oz. CAC95-28 64 oz. **Orange** 





## Medium-Heavy Duty Food & Beverage Blenders

**TBB Series** 

- Vinyl lid for hot and cold food/beverage blending
- Removable center cap to feed ingredients while blending
- Heavy-duty stainless steel blade with solid steel blending assembly built to last, but completely user-replaceable
- Aggressive blade design works in concert with the wide jar base to draw maximum amount of product into the vortex
- Heavy-duty motor high performance 2 HP, 2-speed motor, with 24,000 max RPM.
- Recommended for 50-74 drinks per day, and blends three 16 oz. margaritas in 8 seconds or less

Limited Two-Year Warranty

120V, 60Hz, 5-15P (1)

cULus, NSF





MODEL	CONTROL PANEL	CONTAINER		
TBB145		48 oz. Copolyester		
TBB145P6	Classic toggle switch	64 oz. Copolyester		
TBB145S4	Classic toggle switch	48 oz. Stainless Steel		
TBB145S6		64 oz. Stainless Steel		
TBB160		48 oz. Copolyester		
TBB160P6	Electronic keypad with 60-second countdown timer	64 oz. Copolyester		
TBB160S4		48 oz. Stainless Steel		
TBB160S6		64 oz. Stainless Steel		
TBB175		48 oz. Copolyester		
TBB175P6	Variable speed	64 oz. Copolyester		
TBB175S4	control dial – 1,000 – 17,000 RPM	48 oz. Stainless Steel		
TBB175S6	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	64 oz. Stainless Steel		



Stackable jars for easy storage





**CAC139** 48 oz., copolyester container



CAC89 64 oz., copolyester container and jar pad



**CAC152** 48 oz., stainless steel container



64 oz., stainless steel container and jar pad



CAC139-10 48 oz., BPA-free purple copolyester container

#### 3 Control Panel Options



**TBB145** 



TBB160



TBB175





## **Light-Medium Duty Bar Blenders**

- 1 HP commercial motor
- 2-speed motor with PULSE function
- 1-piece, 48 oz. BPA-free copolyester jar or stainless jar with industrial stainless steel blade
- Blend three 16 oz. margaritas in 12 seconds or less
- Recommended for 25-49 drinks per day
- BPA free all materials that come in contact with food
- Removable rubberized jar pad dampens sound and makes cleanup easy

120V, 60 Hz, 5-15P 🕦 Limited Two-Year Warranty cETLus, NSF



**CAC132** Copolyester jars are stackable for easy storage



**BB320** 

**CAC138** Stainless steel jar

MODEL	CONTROL PANEL	CONTAINER		
BB300	Classic toggle switch design	48 oz. Copolyester		
BB300S	Classic toggle switch design	48 oz. Stainless Steel		
BB320	Electronic keypad	48 oz. Copolyester		
BB320S	Ејестопіс кеурац	48 oz. Stainless Steel		
BB340	Electronic keypad with 48 oz. Copolyester			
BB340S	99-second countdown timer	48 oz. Stainless Steel		

## **Light-Duty Bar Blenders**

- ¾ HP, 2-speed commercial motor
- Rugged, two-piece stainless steel cutting blade
- User-replaceable, metal-reinforced rubber drive coupling
- Recommended for up to 25 drinks per day

120V, 60 Hz, 5-15P (**\***)

Limited Two-Year Warranty cULus, NSF







**CAC134** 44 oz., BPA-free copolyester container



**CAC135** 32 oz., stainless steel container





MODEL	CONTROL PANEL	CONTAINER	
BB155	Classic toggle	44 oz. Copolyester	
BB155S	switch design	32 oz. Stainless Steel	

## Big Stix® Heavy-Duty Variable Speed Immersion Blenders

#### **WSB Series**

- 750W, 1 HP heavy-duty motor all models
- Variable speed motor operation 18,000 RPM on HIGH
- · Completely sealed stainless steel shaft is easily removable and dishwasher safe
- Continuous ON feature
- User-replaceable couplings on power pack and shaft
- All-purpose stainless steel blade

· Rubberized comfort grip and patented second handle for safe and controlled operation

120V, 60 Hz, 5-15P (1)

Limited One Year Warranty

cETLus, NSF











Patented, fully sealed

blending

shaft

NSF


approved

and

dishwasher

safe





WSB60 - 16" 25 gal./100 gt.

WSB65 - 18" 35 gal./140 qt.

WSB70 - 21" 50 gal./200 gt.

WSBPPW - 10" stainless steel whisk attachment



#### 750 WATT - 1 HP MOTOR THROUGHOUT BIG STIX® LINE



#### **Light-Duty** Quik Stik® WSB33X

- 2-speed, high-efficiency motor
- Stainless steel, 7" fixed shaft and blade
- Built for low volume processing
- Lightweight and compact
- 3-gallon, 12-quart capacity 120V, 100W, 60 Hz, 5-15 (1) Limited One Year Warranty cETLus, NSF



#### **Medium-Duty** Quik Stik Plus® **WSB40**

- ½ HP, 2-speed, heavy-duty motor
- · Stainless steel, 10" fixed shaft and blade
- Rubberized comfort grip
- 6-gallon, 24-quart capacity 120V, 350W, 60 Hz, 5-15 (1) Limited One Year Warranty cETLus, NSF



#### **Bowl Clamp WSBBC**

- Allows hands-free operation
- Fits entire Big Stix® line (except whisk attachment)



Wall Hook **WSB01** 

· Convenient storage for immersion blender while not in use



Whisk Attachment WSB2W

- 10" stainless steel whipping paddles
- User-replaceable couplings

## BLEND



Cordless Immersion Blender

WSB38X

# Powerful. Portable. Versatile.

- Cordless immersion blender for added convenience
- Brushless DC motor
- 10.8-volt lithium-ion battery pack for extended runtime
- Variable speed from 5,000 to 13,000 RPM
- 7" removable, dishwasher-safe blending shaft
- Stainless steel blade
- 3-gallon (12 quarts) mixing capacity
- Battery charging/docking station with 1.5-hour, quick-charging circuit
- LED indicator lights for speeds and battery charge status
- Ergonomic housing design
- Storage/transport bag included


**WSB38X2** – Includes two battery packs cETLus, ETL Sanitation

Limited One Year Warranty





This lightweight and powerful cordless immersion blender features a 7-inch removable shaft that mixes up to 3 gallons, a 10.8-volt lithium-ion battery, a brushless motor to extend life and runtime. and variable speeds for precision control of whatever you're



mixing. Take professional speed, power and performance wherever you need it.

## Accessories available with WSB38X



WSB38XBP 10.8-volt lithium-ion battery



WSB38XCS
Battery-charging station with 1.5-hour, quick-charging circuit




WSB38XST 7-inch removable shaft



WSB38XSC Storage/transport bag included



## IMMERSION BLENDER FOR EVERY NEED













## Heavy-Duty, Single, Double & Triple Head **Electronic Drink Mixers**



WDM360TX

**3HP** 

• Independent, high-performance, 1 peak HP motors are user-replaceable for continued operation

1HP

- Each motor includes thermal protection to prolong motor life
- Electronic 3-speed and pulse controls maintain speed under load for optimal performance - 15,000 / 18,000 / 21,000 RPM
- Fully enclosed actuators prevent mix from entering the housing
- Each unit includes 2 agitators for each spindle: One solid agitator for mixing hard ice creams and aerating for increased yield, and one butterfly agitator for softer ice creams and mix-ins
- Increased cup clearance: Slide cups into position without tilt
- Fully automatic, cup-activated, one-handed START/STOP operation
- Heavy-duty, powder-coated die-cast steel housing

120V, 60 Hz, 5-15P (1) Limited One Year Warranty NSF, cTUVus

#### **BONUS: Stainless steel malt** beverage cups included

2HP

MODEL	SPINDLE	TIMER	CUPS INCLUDED
WDM120TX	One		One
WDM240TX	Two	Yes	Two
WDM360TX	Three		Three



10-minute countdown timer with three speeds and pulse



Increased cup clearance - no need to tilt before or after mixing



Solid and butterfly agitator for each spindle

## BI FND

The Big Freeze®

## Variable Speed Drink Mixer

#### **WDM500**



Variable Speed Dial



Ergonomic Splash Guard

#### Included Agitators







WDM500PA
Butterfly Plastic Agitator
for use with soft serve,
yogurt and gelato

- Built for large-volume locations
- Designed to process mix-ins and toppings in hard and soft ice creams
- High-performance, 1.2 peak HP, variable speed motor
- Variable speeds from 2,500 12,500 RPM
- Pulse function quickly refreshes frozen drinks
- START/STOP button lets the operator stop the mixing action at any time
- Two agitator options efficiently process both hard and soft ice cream and yogurt
- Ergonomic polycarbonate splash guard ensures clean and easy operation
- Heavy-duty steel housing 120V, 60 Hz, 5-15P (1)

Limited One Year Warranty

cETLus, NSF





# Wall-Mount Drink Mixer DMC180DCA

- High-performance, 1 peak HP, 2-speed commercial motor
- Space-saving design
- Automatic START/STOP operation
- Heavy-duty, die-cast metal motor housing 120V, 60 Hz

Limited One Year Warranty cETLus, NSF



# Triple-Head Drink Mixer DMC201DCA

- High-performance, 1 peak HP, 2-speed commercial motors
- Heavy-duty, die-cast metal motor housings
- Automatic START/STOP operation
- Heavy stainless steel splash panel 120V, 60 Hz, 5-15P (\*)
   Limited One Year Warranty

cETLus, NSF



# Waring Commercial Food Processors have the BEST WARRANTY in the Commercial Food Processor Industry.

Limited Five-Year Motor and Two-Year Parts & Labor\*\*





# 6-Quart Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing

#### FP2200

- High-performance, ¾ HP motor
- Over 22 square inches of feed space
- Polycarbonate, continuous-feed hopper with durable see-through cover processes up to 1,400 pounds per hour

120V, 60 Hz, 5-15P

UL, cUL, NSF

#### Standard accessories included with FP2200



**S-Blade** CAF31




**%16" Shredding Disc**CAF20



**%" Slicing Disc**CAF12



**½" Slicing Disc** CAF18



**½" Dicing Disc**CAF24



**%" Dicing Disc** CAF25

Dicing disc must be used along with slicing disc.

<sup>\*</sup>Made in the USA with U.S. and foreign parts

<sup>\*\*</sup>For commercial countertop, electric cutter mixer bowl/continuous-feed food processor

## PRFP

#### 4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing

WFP16SCD

More Product, Less Time, No Mess. Sealed from bottom to top, our LiquiLock® Seal System allows you to process more product in less time with no mess.



• Continuous-feed chute for large-volume processing

 4-quart sealed cutter mixer bowl processes soups, sauces, dressings and more with ease

- 2 HP\* commercial motor
- Heavy-duty die-cast housing
- Over 20 processing options in one machine!
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem

120V, 60 Hz, 5-15P 🕦

ETL, ETL Sanitation

#### Best warranty in the industry!\*\*

Limited Five-Year Motor and Two-Year Parts and Labor



#### **OPTIONAL ACCESSORIES**

#### **Dicing Kits**

WFP16S25 - 8mm - 5/16"

WFP16S27 - 12mm - 15/32"

#### **Punch Tools**

WFP16S19 for cleaning 8mm WFP16S20 for cleaning 10mm

WFP16S21 for cleaning 12mm

#### **Julienne Discs**

WFP16S22 - 4mm - 5/32"

WFP16S23 - 6.5mm - 1/4"

WFP16S24 - 8mm - 5/16"

#### **Grating Disc**

WFP16S16





Cutter mixer bowl features a snap-lock lid with removable seal for easy cleaning

#### Standard accessories included with WFP16SCD



10mm-3/8" Dicing Kit WFP16S26



Patented Sealed & Locked S-Blade WFP16S1



Sealed & Locked, Stainless Steel Whipping Disc WFP16S11



Patented Adjustable 16 Cut Slicing Stainless Steel Disc (1–6mm) WFP16S10



Reversible
Shredding Stainless Steel
Disc – Two Blades in One,
Fine Shred and Coarse
Shred
WFP16S12A

#### 3.5-Quart LiquiLock® Seal System Combination Bowl **Cutter Mixer and Continuous-Feed Food Processor**

#### WFP14SC

- Space-saving, flat cutter mixer bowl with patented LiquiLock® Seal System for full-bowl processing of liquids
- Continuous-feed hopper with durable see-through cover processes up to 875 pounds per hour
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem



- Top and bottom of the bowl processing
- Over 20 processing options in one machine
- High-performance, 1 HP motor 120V, 60 Hz, 5-15P (1)

UL. ETL Sanitation



Large 3.5-Quart Cutter Mixer Bowl Included

More Product, Less Time. No Mess. Sealed from bottom to top, our LiquiLock® Seal System allows you to process more product in less time with no mess.



#### **DISCS INCLUDED** WITH WFP14SC

1. Grating Disc:

nuts, spices, cheeses and more (WFP143)

2. Double-Sided Shredding Disc: cheeses, vegetables and

more (WFP14S12)

3. Patented Adjustable Slicing Disc (1-6mm):

provides 16 different thickness options in 1 disc (WFP14S10)

4. Patented Sealed & Locked S-Blade: chopping, puréeing and emulsifying (WFP14S1)

5. Sealed & Locked Whipping Disc:

whips creams, butters and more (WFP14S11)



#### 4-Quart LiquiLock® Seal System Bowl Cutter Mixer Food Processor

#### WFP16S

- Patented LiquiLock® Seal System that enables full-bowl liquid processing
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- 2 HP\* commercial motor
- Heavy-duty die-cast housing
- Top and bottom of the bowl processing
- Over 20 processing options in one machine!

120V, 60 Hz, 5-15P (1) ETL. ETL Sanitation

#### Standard Discs Included with WFP16S



Patented Sealed and Locked S-Blade

Locks into place and seals liquids in the bowl. (WFP16S1)





Sealed and **Locked Whipping Disc** Quickly whips creams

and butters. (WFP16S11)





Patented Adjustable Slicing Disc (1-6mm)

Provides 16 different thickness options in 1 disc. (WFP16S10)





**Double-Sided Shredding Disc** 

Fine shred on one side. coarse shred on the other side. (WFP16S12A)



Additional discs available

#### 3.5-Quart LiquiLock® Seal System **Bowl Cutter Mixer** Food Processors

- Patented LiquiLock® Seal System that enables full-bowl liquid processing
- Slice, shred, grate, chop, purée, whip, emulsify & more
- High-performance, 1 HP motor
- Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- Top and bottom of the bowl processing
- Space-saving flat cutter mixer bowl lid design (WFP14SW) 120V, 60 Hz, 5-15P (1) UL, ETL Sanitation

#### WFP14S - Blade and discs included:

WFP14S1, WFP14S10, WFP14S11, WFP14S12, WFP143

#### WFP14SW - Blade and discs included:

WFP14S1, WFP14S11

#### 2.5-Quart LiquiLock® Seal System **Bowl Cutter Mixer** Food Processors

- Patented LiquiLock® Seal System that enables full-bowl liquid processing
- High-performance, 34 HP motor
- WFP11SW Unique batch bowl processing; shred, grate and slice directly in the batch bowl with the included disc stem
- WFP11S • Slice, shred, grate, chop, purée, whip, emulsify & more
- Top and bottom of the bowl processing
- Extra-large feed tube reduces prep time
- Space-saving flat cutter mixer bowl lid design (WFP11SW) 120V, 60 Hz, 5-15P (1)



#### WFP11S1, WFP11S4, WFP11S5, WFP11S6, WFP113

WFP11SW - Blade and discs included: WFP11S1, WFP11S5



Double-Sided Shredding Disc WFP11S6/WFP14S12

Fine shred on one side, coarse shred on the other.



WFP113/WFP143

Grates nuts, spices, cheeses and more.



Patented Sealed S-Blade WFP11S1/WFP14S1

Locks into place and seals liquids in the bowl.



3.5Qt

WFP14SW

Patented Adjustable Slicing Disc WFP11S4/WFP14S10

Provides 16 different thickness options in 1 disc.



WFP14S

Sealed Whipping Disc WFP11S5/WFP14S11

Quickly whips creams and butters.



#### 1-Cup Electric Spice Grinder

#### WSG30

- High-performance motor 19,000 RPM
- PULSE actuation to easily manage consistency
- Includes 3 dishwasher-safe, stainless steel, 1.5-cup grinding bowls with\_convenient storage lids 120V, 60 Hz, 5-15P (1)

Limited One Year Warranty cETLus, NSF



# WARING

#### 3-Cup Commercial Spice Grinder – Wet/Dry WSG60

- High-performance, commercial-grade 1 HP motor - 20.000 RPM
- Continuous-run operation
- PULSE actuation to easily manage consistency
- Includes 2 dishwasher-safe grinding bowls with cool-touch sleeves and convenient storage lids 120V, 60 Hz, 5-15P (1) Limited One Year Warranty cETLus, NSF

## FOOD PROCESSOR FOR EVERY NEED

HEAVY-DUTY FOOD PROCESSORS							
	Model	Power	Speed	Cutter Mixer Bowl Maximum Capacity	Discs Included	Maximum Volume Processing Per Hour	Warranty
	FP2200	¾ HP	1,725	Dry: 6 quarts (5.7 liters) Wet: 2.5 quarts (2.37 liters)	S-Blade '%" Slicing Disc '%" Slicing Disc '%" Shredding Disc '%" Dicing Disc '%" Dicing Disc	Slicing (cucumbers)† 1400 lb/1275 qt Shredding (carrots)† 1025 lb/1050 qt Dicing (tomatoes)† 950 lb/425 qt Chopping (meat) 585 lb Kneading (bread dough) 200 loaves* Kneading (pie crusts) 540 pie crusts**	Limited 5-Year Motor, 2-Year Parts and Labor
	WFP16SCD	2 HP <sup>®</sup>	1,725	Dry: 4 quarts (3.7 liters) Wet: 3 quarts (2.8 liters)	3/4" Dicing Assembly Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc	Slicing (cucumbers)† 1185 lb/1080 qt Shredding (carrots)† 875 lb/900 qt Chopping (meat) 390 lb Kneading (bread dough) 140 loaves* Kneading (pie crusts) 360 pie crusts** Dicing (tomatoes) 915 lb/410 qt Whipping (heavy cream) 80 qt	Limited 5-Year Motor, 2-Year Parts and Labor
		LIG	HT- T	O MEDIUM-DUT	Y FOOD PRO	CESSORS	
	WFP14SC	1 HP	1,725	Dry: 3.5 quarts (3.3 liters) Wet: 1.75 quarts (1.65 liters)	Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc 5/64" Grating Disc	Slicing (cucumbers)† 875 lb/660 qt Shredding (carrots)† 430 lb/450 qt Grating (cheese) 60 lb Chopping (meat) 360 lb Kneading (bread dough) 120 loaves* Kneading (pie crusts) 320 pie crusts** Whipping (heavy cream) 70 qt	Limited 5-Year Motor, 2-Year Parts and Labor
	WFP11S	¾ HP	1,725	Dry: 2.5 quarts (2.3 liters) Wet: 1.25 quarts (1.2 liters)	Sealed S-Blade Sealed Whipping Disc Adjustable Slicing Disc Reversible Shredding Disc 5/4" Grating Disc	Slicing (cucumbers) 540 lb/345 qt Shredding (carrots) 200 lb/240 qt Grating (cheese) 45 lb Chopping (meat) 330 lb Kneading (bread dough) 120 loaves* Kneading (pie crusts) 240 pie crusts** Whipping (heavy cream) 55 qt	Limited 5-Year Motor, 2-Year Parts and Labor
			LIC	GHT- TO HEAVY-D	OUTY GRIND	DERS	
	Model	Power	Speed	Cup Capacity	Accessory Bowls	Applications	Warranty
100 Aug.	WCG75	¾ HP	1,725	3 Cups Dry	1 Grinding Bowl 1 Chopping Bowl	Grinding or chopping nuts, herbs, or pastes	Limited 1 Year Warranty
Total Control	WSG60	1 HP	20,000	3 Cups Dry 1.5 Cups Wet	2	Dry spices, pastes, sauces, whipped cream, herb blends	Limited 1 Year Warranty
	WSG30	1/4 HP	19,000	1.5 Cups (dry only)	3	Low volume dry spices: cinnamon, nutmeg, peppercorns, cumin, sugar, rice	Limited 1 Year Warranty



## PRFP



# *Heavy-Duty Citrus Juicer* JC4000

- Stainless steel juice collector with large spout
- Universal reamer juices all citrus fruits 120V, 60 Hz, 5-15P (1) Limited One Year Warranty ETL, NSF







## *Light-Duty Citrus Juicer*BJ120C

- Compact design creates small-space profit center
- Reamer fits all citrus fruits
- Juice bowl, reamer lift off for easy cleaning
- Includes one liter serving container (not shown)
   120V, 60 Hz, 5-15P (1)
   Limited One Year Warranty

cETLus, NSF, cETLus





## *Heavy-Duty Juice Extractor with Pulp Ejection* JE2000

- Produces large volumes of pure, natural juice for bars, restaurants and health centers
- 1.3 HP motor, 16,000 RPM
- Built for long life and easy maintenance and cleaning 120V, 60 Hz, 5-15P ( Limited One Year Warranty

cULus. NSF

(JE2000 is a model IOTA by Friul Co. SRL, Maniago, Italy)







## Juice Extractor 6001C

- Floating-action stainless steel blade speeds up juice flow with faster distribution of pulp
- Stainless steel extraction basket, bowl and cover 120V, 60 Hz, 5-15P (1)
  Limited One Year Warranty
  UL, CSA (6001CQ)



## 2.5-Quart Compressor Ice Cream Maker

WCIC25

- 2.5-quart capacity, electric ice cream maker
- Built-in compressor means NO pre-freezing
- Make up to 2.5 quarts of ice cream, frozen yogurt or gelato in as little as 30 minutes
- Easy-to-clean stainless steel exterior and LCD display
- "Keep Cool" feature holds ice cream at the optimal temperature when process is finished

120V, 180W, 5-15P (1) Limited One Year Warranty

cETLus, NSF










## 2-Quart Compressor Ice Cream Maker

#### WCIC20

- 2-quart capacity, electric ice cream maker
- Built-in compressor means NO pre-freezing required
- Make up to 2 quarts of ice cream, frozen yogurt or gelato in as little as 30 minutes
- Easy-to-clean stainless steel exterior and touch controls
- "Keep Cool" feature holds ice cream at the optimal temperature when process is finished

120V, 180W, 5-15P (1)

Limited One Year Warranty cETLus, ETL Sanitation



"Mix Ins" combine easily without interrupting the process



Removable batch bowl for easy cleaning






#### 7-Quart Stand Mixer WSM7Q

- Heavy-duty, 1+ HP, 850W motor to handle the heaviest mixing tasks
- Large, 7-quart stainless steel bowl with carrying handles
- 12 mixing speeds with Soft Start for precision mixing
- PULSE function with maximum burst of power
- Tilt-back head for easy removal of attachments
- Full die-cast housing 120V, 60 Hz, 5-15P (1)

Limited Two-Year Warranty

cETLus, NSF





## PREP



**Professional Food Slicers** 

**WCS Series** 

#### WCS220/250 - 8.5" & 10"

3/4 HP\* commercially rated motor

#### WCS300 - 12"

1 HP\* commercially rated motor

- 8.5", 10" and 12" blades crafted in Italy of tempered, hard chrome for long-lasting sharpness
- Cast aluminum base and carriage ensures sturdy slicing
- High-efficiency, ventilated motor prevents overheating and runs quietly
- Belt driven with fixed blade for slicing ease and precision
- Easily adjustable slicing thickness from 0–.59" (0–14.9mm)
- Made in Italy

120V, 5-15P 🕦

Limited One Year Warranty

cTUVus, NSF

MODEL	COLOR	BLADE SIZE
WCS220SV	Metallic Silver	
WCS220BS	Black Satin	8.5"
WCS220R	Glossy Red	
WCS250SV	Metallic Silver	
WCS250BS	Black Satin	10"
WCS250R	Glossy Red	
WCS300SV	Metallic Silver	
WCS300BS	Black Satin	12"
WCS300R	Glossy Red	



#### Easy-Clean Design

Tilt-out carriage and removable sharpener simplifies cleaning and maintenance





Portable Rechargeable Wine Bottle Opener

#### **WWO120**

- · Removes 120 corks with one full charge
- · Removes synthetic corks with ease
- Compact, stainless steel housing
- · Easy, quiet forward and reverse motor
- NiMH rechargeable battery pack
- Compact charging base with foil cutter included

#### **BONUS:**

Replacement auger included

Limited One Year Warranty

ETL Sanitation, CEC



#### Knife Sharpener **WKS800**

- Two grinding wheels (fine/coarse), one stropping wheel
- Grinds at 18° to 22° angles optimum angles recommended by knife manufacturers
- Stropping wheel operates in reverse direction for more efficient removal of burrs and polishing of the blade
- Magnetized drawer under grinding wheel captures metal shavings

120V, 60 Hz, 5-15P (1)

Limited One Year Warranty



## PREP

## Chamber Vacuum-Sealing System

#### WCV300

- Package liquids and liquid-rich foods like fresh meats, soups, marinades, and stews
- 11" Seal Bar double-seals pouch, guaranteeing complete, long-lasting closure
- Marinating function intensely infuses meats, fruits and veggies
- User-friendly, easy-to-clean touchpad controls
- Stainless steel housing chamber
- Includes: 7"W x 11"L, 50 pouches 11"W x 12.5"L, 50 pouches

120V, 380W, 5-15P (1)
Limited One Year Warranty
cETLus, NSF



#### THE PROCESS IS SIMPLE



Place in Chamber

Place filled pouch into chamber, position the open edge securely under pouch clips and flat across seal bar.



**Press to Vacuum Seal** 

Close lid, press the "Vacuum Seal" button and remove pouch from chamber when sealing process is complete.



**Store or Use** 

Vacuum-sealed pouches can be refrigerated or frozen for later use and are boil and microwave safe.

WCVQT50 – (7"W x 11"L), 50 Count

WCVQT100 – (7"W x 11"L), 100 Count

WCV2QT50 – (11"W x 12.5"L), 50 Count

WCV2QT100 – (11"W x 12.5"L), 100 Count

WCV33R – Roll (11"W x 33'L)

WCV66R – Roll (11"W x 66'L)

11" Pouch 11" Pouch 7" 12.5"

Thickness 3 MiL

Pouch 11" Roll 11" Roll

12.5" 33' 66'



# **Handheld Vacuum-Sealing System** wvs50

- Seal up to 50 bags on one full charge
- Heavy-duty, NiMH quick-charge battery
- Includes: (25) 1-quart and (25) 1-gallon bags
- Additional 1 quart, 1 gallon and 2-gallon bags sold as accessories

120V, 60 Hz, 5-15P (T)
Limited One Year Warranty

CEC, ETL Sanitation





#### Season & Seal

Season food with your favorite herbs and spices, then vacuum seal. Natural juices and nutrients are retained while cooking for incredible results.



#### Sous Vide

Prepare and cook multiple portions ahead of time. With precise temperature control and continuous water circulation, food cannot be under- or overcooked; no dry edges and no raw centers. Food comes out consistently moist and tender, every time!



#### **Sear & Savor**

Perfect for all restaurants and off-premises cooking. Just sear quickly to finish and serve.



## Thermal Circulators

- 5 programmable memory stations and 99-hour timer
- Temperature accuracy of +/- .5°C/1°F
- Integrated hose system to easily and safely remove water from reservoir
- Capacitive touch control enables you to quickly set or adjust the cooking temperature
- All-stainless steel construction
- Temperature range from 95°F 194°F (35°C 90°C)

120V, 1560W, 5-15P

cETLus, ETL Sanitation

WSV16 - 16 liters (4.2 gallons)

WSV25 – 25 liters (6.6 gallons)

## Pasta Cooker & Rethermalizer

#### **WPC100**

- 12.4L (13.1 qt.) max water capacity
- Cook up to 4 pounds of fresh or frozen pasta in minutes
- 4 round and 2 rectangular baskets included
- Durable stainless steel construction
- Stainless steel tubular heating elements for quick heat-up
- Reaches a rolling boil in under 25 minutes
- Drain and Refill valves located in front for easy access
- Unit can be used as a stand-alone or plumbed in

240V, 3600W, 6-20P (-) Limited One Year Warranty cULus, NSF







4 Round Baskets: Cook .5 lb. in each



2 Rectangular Baskets: Cook 2 lb. in each



#### **CAC157**

Hose Assembly to easily drain water from unit



## $\mathsf{COOK}$









WPG150 WFG250

WPG250

**WDG300** 

## Heavy-Duty Cast-Iron Panini Grills

- · Compact, large and dual, Italian-style panini grills
- Cooking surface is great for grilled panini, hamburgers, chicken, vegetables and more
- Cast-iron plates for even heat distribution and quick cooking time
- Brushed stainless steel body construction and removable drip tray
- Hinged, auto-balancing top plate to suit foods up to 3" thick

Limited One Year Warranty cULus, NSF

MODEL	SURFACE	SIZE	ELECTRICAL POWER
WPG150/T	Ribbed	9.75" x 9.25"	120V, 1800W, 5-15P ①
WFG150/T	Flat	9.75" x 9.25"	120V, 1800W, 5-15P <sup>(1)</sup>
WPG150B/T	Ribbed	9.75" x 9.25"	208V, 2400W, 5-20P ©
WPG250/T	Ribbed	14.5" x 11"	120V, 1800W, 5-15P <sup>(†)</sup>
WFG250/T	Flat	14.5" x 11"	120V, 1800W, 5-15P <sup>①</sup>
WDG250/T	Ribbed Top/Flat Bottom	14.5" x 11"	120V, 1800W, 5-15P 🕚
WPG250B/T	Ribbed	14.5" x 11"	208V, 2800W, 5-20P 🕒
WFG275/T	Flat	14" x 14"	120V, 1800W, 5-15P <sup>(1)</sup>
WPG300/T	Ribbed	17" x 9.25"	240V, 3200W, 6-20P ©
WFG300/T	Flat	17" x 9.25"	240V, 3200W, 6-20P 🕒
WDG300/T	Ribbed and Flat	17" x 9.25"	240V, 3200W, 6-20P 🕒



Reprogrammable Countdown Timer Versions Available For All Panini Grills (T Models)

## 14" and 24" Electric Countertop Griddles

• Brushed stainless steel construction

• Adjustable thermostat to 570°F

• 1/2" stainless steel grilling surface

• Large drip trough Limited One Year Warranty ETLus, NSF

#### **WGR140X**

• Large, 14" x 16" grilling surface – great for eggs, pancakes, hamburgers, chicken, vegetables and more 120V, 1800W, 5-15P (1)



#### WGR240X

• Extra-large, 24" x 16" grilling surface – perfect for larger items such as quesadillas, omelets and pancakes 240V, 3300W, 5-20P (1-)

## Heavy-Duty Single-Deck Pizza Oven

#### **WPO500**

- Ceramic pizza deck holds 18" diameter pizza
- Cook fresh or frozen dough
- Temperature up to 800°F/426°C
- Stainless steel exterior with full insulation
- Aluminized steel interior with light
- Independent ON/OFF switches for top and bottom heating elements
- Manual 30-minute timer with audible alert
- Includes one ceramic pizza stone
- Stackable oven with 4" adjustable legs 120V, 1800W, 5-15P (1)

Limited One Year, On-Site Warranty cULus, NSF



Units Are Stackable. No Stacking Kit Required.

#### Double-Deck Pizza Ovens

#### WPO700 - Single Door WPO750- Double Door

- Ceramic pizza decks hold 18" diameter pizzas
- Cook fresh or frozen dough
- Temperature up to 800°F/426°C
- Stainless steel exterior with full insulation
- Aluminized steel interior with lights
- Includes two ceramic pizza stones
- 30-minute timers with audible alerts
- 4" adjustable legs
- WPO700 Independent ON/OFF switches for top and bottom heating elements (center element is shared)
- **WPO750** Two independent chambers with their own deck controls can operate at different temperatures simultaneously
  - ON/OFF controls for top and bottom elements in each chamber

240V, 3200W, 6-20P (-)

Limited One Year, On-Site Warranty cULus, NSF



**WPO500** 





**WP0750** 

## Medium-Duty Single-Deck Pizza Oven

#### **WPO100**

- Ceramic pizza deck fits a 14" pizza
- 3.5-inch-high chamber opening
- Temperature settings from 280°F 600°F
- 15-minute timer
- Power ON/OFF switch with indicator light
- Tempered glass door and oven light let you monitor the cooking process
- Removable pizza deck for easy cleaning
- Includes a cleaning brush with heavy-duty bristles for cleaning the deck without damaging the ceramic

120V, 1800W, 5-15P 🕦

Limited One Year Warranty

UL, NSF



Medium-Duty Double-Deck Pizza Oven

#### **WPO350**

- Ceramic pizza decks fit 14" pizzas
- 3.5-inch-high chamber openings
- Temperature settings from 280°F 600°F
- 15-minute timers
- Power ON/OFF switches with indicator lights
- Tempered glass doors and oven lights let you monitor the cooking process
- Removable pizza deck(s) for easy cleaning
- Includes a cleaning brush with heavy-duty bristles for cleaning decks without damaging the ceramic
- Double oven features adjustable legs to set height to the proper level for your space

240V, 3500W, 6-20P (-)

Limited One Year Warranty cULus, NSF







Commercial Medium- and Heavy-Duty Microwave Ovens

• 10 programmable memory pads; 100 programmable settings

• Stainless steel construction

• Programmable and manual operations

• Touch control keypad with Braille

• Interior oven light

• 60-minute max cook time

• 3-stage cooking, 5 power levels

Limited One Year Warranty

cULus, FCC, ETL Sanitation

WMO90 - .9 cubic feet, 120V/1000W 5-15P (T)

**WMO120** – 1.2 cubic feet, 208/230V/1800W

(Dual Magnetrons) 6-15P 🕒





WCO250X





#### 10- & 15-lb. Countertop Electric Deep Fryers WDF1000, WDF1500B/WDF1550

- Includes 1 large fry basket, 2 twin fry baskets, 1 night cover
- 30-minute timer and variable temperature control up to 390°F Limited One Year Warranty

UL, NSF

#### 10- & 15-lb. Countertop Electric Double Deep Fryers WDF1000D/WDF1000BD, WDF1500BD/WDF1550D

- Includes 1 large fry basket, 4 twin fry baskets, 2 night covers
- 30-minute timers and variable temperature controls up to 390°F Limited One Year Warranty

UL, NSF

8.5-lb. Deep Fryers WDF75RC/WDF75B	
<ul> <li>Includes 2 twin fry baskets</li> </ul>	
<ul> <li>30-minute timer and variable temperature control up to 390°F</li> </ul>	
Limited One Year Warranty UL, NSF	

MODEL	CAPACITY	ELECTRICAL POWER
WDF75RC	3 lb. (per unit)	120V, 1800W 🛈 5-15P
WDF75B	3 lb. (per unit)	208V, 2700W 😩 6-15P
WDF1000	10 lb. (per unit)	120V, 1800W ① 5-15P
WDF1500B	15 lb. (per unit)	208V, 3300W © 5-20P
WDF1550	15 lb. (per unit)	240V, 3840W © 5-20P
WDF1000D	10 lb. (per unit)	120V, 1800W (x2) 🕒 5-20P
WDF1000BD	10 lb. (per unit)	208V, 2700W (x2) ① 5-15P
WDF1500BD	15 lb. (per unit)	208V, 3300W (x2) 🕒 5-20P
WDF1550D	15 lb. (per unit)	240V, 3840W (x2) 🕒 5-20P



- Heavy-duty, brushed stainless steel construction
- Power ON and Toaster Ready indicator lights
- Cool-touch side panels
- Large 2" opening accommodates thick breads and bagels
- Energy-saving Standby function

Limited One Year Warranty







CTS1000

MODEL	LISTING	ELECTRICAL POWER
CTS1000	UL, NSF	120V, 1800W, 5-15P 🕦
CTS1000CND	cULus, NSF	120V, 1500W, 5-15P 🕦
CTS1000B	cULus, NSF	208V, 2700W, 6-20P 🕒

# 4-Slice Heavy-Duty Toasters/Combination Toasters & Bagel Toasters





MODEL	LISTING	CONFIGURATION	SLOT SIZE	SLICES	ELECTRICAL POWER
WCT800	ETLus, 4 elies standard		11/8" wide	300	120V, 2200W, 5-20P ©
WCT800RC	NSF	4-slice standard	1 1/8 Wide	per hr.	120V, 1800W, 5-15P ①
WCT805	cETLus,	4-slice standard	1½" wide	380 per hr.	208/240V, 2028/2700W, 6-15P 🛈
WCT805B	NSF	4-siice standard	1 ½ Wide		208/240V, 2028/2700W, 6-20P 🕒
WCT850	cETLus,	4-slice			208V, 2800W, 6-20P 🕒
WCT850RC			1½" wide	360 per hr.	120V, 1800W, 5-15P <sup>(1)</sup>
WCT855		controls		•	240V, 2700W, 6-15P ①

- Uniformly toast regular bread,
   Texas toast, frozen waffles and many other foods
- Easily replaceable industrial heating plates
- Electronic browning controls and carriage control lift levers
- Dishwasher-safe crumb tray
   Limited One Year Warranty



#### 2- or 4-Slice Light-Duty Toasters

- Durable mirror finish, chrome-plated steel construction
- Self-centering bread rack for thinly sliced breads
- Great for bagels and thickly sliced breads
- Easy Touch™ control and LED indicators: Defrost, Reheat and Cancel
- Rotary dial browning level control
- Quick-clean pullout crumb tray

Limited One Year Warranty

MODEL	LISTING	CONFIGURATION	SLICES	ELECTRICAL POWER
WCT702	T702 ETLus, 2-slice, extra-wide 13/8" slots		2-slice	120V, 1800W, 60 Hz, 5-15P 🕦
WCT704	cETLus, NSF	2 extra-long, extra-wide 13/8" slots	2-large or 4-slice	120V, 1500W, 60 Hz, 5-15P 🕦



## 4-Slice Medium-Duty Toaster

- Brushed chrome steel housing
- Four extra-wide 13/8" slots, great for bagels
- Up to 225 slices per hour
- Electronic browning controls
- Four self-centering bread racks
- Quick-clean pullout crumb tray

Limited One Year Warranty

MODEL LISTING		ELECTRICAL POWER
WCT708	ETLus, NSF	120V, 1800W, 60 Hz, 5-15P 🕦
WCT708CND	cETLus, NSF	120V, 1500W, 60 Hz, 5-15P 🕦

### Single Light-Duty Induction Range

- Induction cooking: fast, safe and efficient
- Easy-touch controls for adjusting power settings
- 10 power settings
- Cooking temperature reaches up to 450°F/232°C
- Accepts minimum pan size of 4 inches in diameter, cooking surface 11.5" x 11.75"
- 3-hour digital timer
- Durable, tempered glass surface
- Stainless steel top-housing construction
- Compatible cookware and no-pan detection
- Lightweight and portable countertop cooking surface

120V, 1800W, 1-15P (1)

Limited One Year Warranty

cETLus, NSF



**WIH800** 

## Single and Double Heavy-Duty Induction Ranges

- Low-profile case provides a more natural cooking height
- · Fast: Quick and intuitive heating response
- Precise: Maintains accurate temperature control
- Safe: No flames or smoke
- Easy to clean: Spills wipe up easily from the Schott Glass® ceramic glass surface
- Elegant: Easy-touch controls, all-stainless steel construction and blue LCD display
- Small object/empty pan detection
- Features a 10-hour countdown timer
- 12 temperature settings (120°F to 500°F)


Limited One Year Warranty

cETLus, NSF

**WIH400** – 120V, 1800W, 5-15P

**WIH400B** – 208/240V, 2900/3300W, 6-15P

**WIH800** – 208/240V, 3600W, 6-15P



WIH400/WIH400B



#### Single and Double Burners

- Heavy-duty, cast-iron burner plates
- · Independent, adjustable thermostats with Ready indicator lights
- · Brushed stainless steel housing
- Nonslip rubber feet

120V, 60 Hz, 5-15P (\*)

Limited One Year Warranty

cULus, NSF

**WEB300** – 1300W large plate

**WDB600** – 1800 total watts: 1300W large plate for fast cooking, and 500W small plate for simmering and warming





WDB600

#### Single/Double Belgian Waffle Makers

#### WW180 - Single

- Produces up to 25, 1"-thick Belgian waffles per hour
- · Heavy-duty die-cast housing
- · Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators 120V, 1200W, 60 Hz, 5-15P ( )
  Limited One Year Warranty

#### WW200 - Double

cETLus, NSF

All the same features as WW180 with addition of:

- Produces up to 50, 1"-thick Belgian waffles per hour
- Unique, space-saving vertical design with independent Ready lights
- Shares heating elements for maximum output while using less energy

120V, 1400W, 60 Hz, 5-15P (1) Limited One Year Warranty cETLus, NSF



Rotary feature on all waffle/waffle cone makers for even baking and browning!



Embedded heating elements for precise temperature control.



#### Single/Double Classic Waffle Makers

#### WWD180 - Single

- $\bullet$  Produces up to 35,  $^5/8"\text{-thick}$  waffles per hour
- Heavy-duty die-cast housing
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

120V, 1200W, 60 Hz, 5-15P (\*)

Limited One Year Warranty

cETLus, NSF

#### WWD200 - Double

All the same features as WWD180 with addition of:

- Produces up to 60, 5/8"-thick waffles per hour
- New space-saving vertical design with independent Ready light

120V, 1300W, 60 Hz, 5-15P (T) Limited One Year Warranty

cETLus, NSF



## Side-By-Side Single & Double Belgian Waffle Makers

#### WW250X/WW250BX - Single WW300BX - Double

- Dual-carriage design
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

Limited One Year Warranty

WW250X - Produces up to 50,

1"-thick Belgian waffles per hour

WW250BX - Produces up to 60,

1"-thick Belgian waffles per hour

WW300BX - Produces up to 75+,

1"-thick Belgian waffles per hour





MODEL	LISTING	ELECTRICAL POWER
WW250X	ETLus, NSF	120V, 2400W, 60 Hz, 5-20P 🕒
WW250BX	ETLus, NSF	000V 0700W 00 II 0 45D (*)
WW300BX	cETLus, NSF	208V, 2700W, 60 Hz, 6-15P 🕒



## 16" Electric Crêpe Maker

- Large 16" cast-iron cooking surface for even heat distribution
- Durable stainless steel base with heat-resistant carrying handles
- Adjustable thermostat to 570°F
- · Power ON and Ready indicator lights
- Extra value! NSF-approved batter spreader and spatula included!

Limited One Year Warranty

UL, cULus, NSF

**WSC160X** – 120V, 1800W, 5-15P

**WSC165BX** – 208/240V, 2170/2880W, 6-15P



## Single/Double Waffle Cone Makers WWCM180 - Single

• BONUS: Includes waffle cone rolling and forming tool for ideal waffle cones! Waffle bowl kit also available as optional accessory

- Up to 60 waffle cones per hour
- Heavy-duty die-cast housing
- Triple-coated nonstick plates allow easy removal of waffle cones and quick cleanup
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators Limited One Year Warranty cETLus, NSF

120V, 1200W, 60 Hz, 5-15P (1)



All the same features as WWCM180 with addition of:

- Up to 120 waffle cones per hour
- Unique space-saving vertical design with independent Ready lights
- Shares heating elements for maximum output while using less energy

120V, 1400W, 60 Hz, 5-15P (1)

#### Included



CAC121 - Rolling and Forming Tool


#### **Optional Accessories**



**WWCM180** 







WWCM200



#### Gelato Panini Press WICSP180

- Bake times from 5-15 seconds for the perfect gelato panini
- Triple-coated nonstick plates allow for easy panini removal and quick cleanup
- Embedded heating element to perfectly seal your gelato Limited One Year Warranty



Cut bun in half and add gelato.



Set gelato panini into press and cook.







Single Mini Belgian Waffle Maker

**WMB400** 



- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

120V, 1200W, 60 Hz, 5-15P (\*\*)

Limited One Year Warranty

cETLus, NSF







# **Bubble Waffle Maker**wbw300

- Produces up to 25 bubble waffles per hour
- Bake bubble waffles to top with ice cream and/or fillings
- Heavy-duty die-cast housing
- Rotary feature for even baking and browning
- Triple-coated nonstick plates allow easy removal of waffles and quick cleanup
- Embedded heating elements for precise temperature control
- Audible beep signals when unit is ready and when waffle is cooked
- Power ON and Ready-to-Bake LED indicators

120V, 1200W, 60 Hz, 5-15P

Limited One Year Warranty

cETLus, NSF





- 10-tray commercial food dehydrator
- Stainless steel housing
- Clear-view glass door for monitoring dehydrating process
- 15.3-inch by 13.2-inch mesh racks
- Total dehydrating surface area of 14 square feet
- Rear-mounted airflow system
- Digital LED display with capacitive touch controls
- Adjustable temperature range: 90°F-176°F (32°C-80°C)
- View temperature in °F or °C
- Set timer up to 40 hours
- 5 memory stations for setting and storing unique programs Limited One Year Warranty 120V, 800W, 6 amps, 60 Hz, 5-15P (1)

cULus, NSF



#### WDH10RCK

10 removable mesh racks

#### WDH10FRS

Fruit roll-up tray accessories available



Great for Citrus, Beef Jerky, Dried Fruit, Herbs & More!



## BREW





- Digital controls and LCD display for ease of operation
- Precise temperature control and accuracy
- Automatic water refill or pour-over capability
- Heat 10 gallons in 3 hours
- All-stainless steel construction
- Tomlinson® No-Drip® tap operation\*
- Set night-mode feature to automatically start heating overnight so water is hot when you need it
- Knuckle guard for safe operation during dispensing

120V, 1800W, 60 Hz, 5-15P

Limited One Year Warranty cTUVus, NSF



## Commercial Coffee Urns

#### **WCU Series**

- Brushed stainless steel housing
- Commercial grade, nonstick coated heater
- Dual heater system for brewing and keeping warm at optimal temperatures
- ON/OFF lighted power switch and Ready indicator light
- Boil-dry protection with auto reset

120V, 1500W, 5-15P

Limited One Year Warranty

cETLus, NSF


WCU30 - 30-cup capacity

WCU55 - 55-cup capacity

WCU110 - 110-cup capacity



**WCU30** 







@waringcommercial

©2019 Waring Commercial

For information on all Waring Commercial products in the U.S. and Canada, contact
Waring Commercial, 314 Ella T. Grasso Avenue • Torrington, CT 06790

Tel. (800) 492-7464 • www.waringcommercialproducts.com
19WC059618/Rev 2/19/19 PG-38283